

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	49	("5953424" "5815573" "5937066" "5689565" "6038551" "6345098" "6396929" "5796830" "5920630" "6052469" "6377688" "6021203" "5907618" "5438622" "5703948" "5745576" "5699428" "5796825" "6377687" "5623549" "6226742" "6226742" "5781635" "5999628" "6128737" "6044468" "6259789" "6009174" "6160890" "6307938" "6775274" "6081598" "6684331" "6769060" "6088456" "5631961" "5481613" "6134660" "6058188" "5793871" "6192129" "6243470" "6185304" "6185679" "5345508" "5444781" "5452358" "5787172" "6148400" "6456716").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/12 16:02
S3	50	("6233337" "5966444" "4956863" "5241599" "6802001" "6587946" "5539826" "6307935" "6628786" "6266411" "5748734" "5850443" RE38070 "5642421" "5706348" "5745571" "5805705" "5982898" "6052466" "6151394" "6718467" "6810479" "6160891" "5761306" "6240187" "6687822" "6075865" "6266417" "5933503" "4847902" "6751735" "6038318" "5627893" "6259790" "5070528" "5235644" "5245658" "5499299" "5594869" "5673319" "6301362" "6445797" "6816968" "5455864" "5193115" "5495533" "5297208" "6189095" "6378072" "5915024").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/12 17:08
S4	50	("5768390" "6779111" "4078152" "5479513" "5740250" "5896455" "5666415" "5761305" "5835597" "5889865" "6021201" "6055316" "6122736" "6760440" "4424414" "6640303" "6438230" "6128386" "6757699" "6128391" "6697488" "5799086" "5841865" "5850451" "5857022" "5872849" "6009177" "4868877" "6314521" "5594797" "5271061" "5463690" "6269164" "6285760" "6578143" "6742115" "5949884" "5365589" "5295188" "5583939" "5724279" "5799088" "5835592" "5848159" "5870470" "5987130" "4322577" "4924515" "5003596" "5675653").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/12 17:14

S5	50	("5764772" "5778069" "6049608" "6535607" "6731755" "6301660" "6532451" "6701433" "6229894" "5005200" "5214702" "6549626" "6418224" "6081893" "4375579" "6339828" "6408389" "4283599" "4315101" "6075859" "6385316" "6768797" "4860352" "5974151" "6385728" "5737425" "5454039" "5675652" "5703952" "5915023" "6209093" "6163841" "5848158" "6081794" "6269163" "6396926" "6523115" "6711553" "6728376" "6792108" "6804355" "6249866" "5220606" "6499106" "5719941" "5517567" "4567600" "4805216" "5742756" "5764767").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/12 17:26
S6	49	("6542608" "6549623" "6606386" "6608901" "5247576" "5517568" "5949882" "5633929" "5323464" "5581616" "5805703" "5805701" "5878136" "6049610" "6351539" "6587563" "6751318" "6754678" "5465300" "5497422" "5751811" "6757832" "4317957" "6490680" "5915022" "6038322" "6215878" "6215878" "5345506" "6282295" "6389136" "4288659" "5606613" "5663896" "5712800" "6490352" "6615350" "5748738" "4797672" "5539828" "5796840" "5805712" "6185546" "6314409" "6476351" "5606616" "4918728" "5319710" "5987133" "6314190").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 09:51
S7	48	("6665709" "6185306" "6463467" "5859912" "5412729" "5539827" "5224166" "5222137" "4817140" "5533128" "5568554" "6249582" "6275587" "5237614" "6266412" "6011849" "5917911" "5483598" "6308277" "6151395" "4926478" "5414771" "6041123" "6266413" "6445794" "5608800" "5577122" "5640452" "5799082" "5956407" "6317500" "6088449" "6212635" "6212635" "4249180" "5724425" "6105133" "5638445" "5761311" "5764768" "5276737" "5315658" "5475757" RE35808 RE36918 "6028938" "6122742" "4302810" "5615268").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 10:02
S8	983	("4405829" "5319735" "5659726").pn	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 10:22

S9	1	("4405829").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 10:15
S11	1	("5319735").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 10:20
S12	1	("5659726").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 10:22
S13	4920	(hid\$4 fool deceive)AND(Combine\$1 multiplex\$2 mux\$2) AND (message data plaintext) AND (encrypt\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 10:36
S14	984	S13 AND @pd<("20010719")	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 10:48
S15	305	S14 and "713"/	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 11:35
S16	544	S14 and "380"/	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 11:43
S18	303	S14 and "380"/.cccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 11:47
S19	6	S14 and 713/150.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 11:49
S20	11	S14 and 380/255.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 11:51
S21	7	multiplex\$3 message mislead encrypt\$3	US-PGPUB; USPAT; USOCR	AND	OFF	2004/11/15 11:56
S22	2	hidden plaintext key deceive unauthorized encrypt\$3	US-PGPUB; USPAT; USOCR	AND	OFF	2004/11/15 12:02
S23	0	multiple adj key false near message and encrypt\$3	US-PGPUB; USPAT; USOCR	AND	OFF	2004/11/15 13:30
S24	2817	(key with select\$4) with (message data image plaintext) and (mask\$3 obscure\$3 hidden)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 13:51
S26	1438	S24 and @pd<"20010719"	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 14:27

S27	4	(key WITH select\$4) WITH ((encrypt\$3 secur\$3) NEAR3 (message data image plaintext)) WITH (mask\$3 obscur\$3 hid\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 14:03
S28	1	(key WITH select\$4) WITH ((encrypt\$3 secur\$3) NEAR3 (message data image plaintext)) WITH (mask\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 14:11
S29	9	(select\$3 with key with alternat\$3 adj (message data image))	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 14:13
S30	254408	S26 "713"/ "380"/	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 14:28
S31	442	S26 AND ("713"/ "380"/)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 15:17
S32	2	decoy adj message SAME encrypt\$3 SAME key	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 15:36
S33	193487	decoy adj message "713"/ OR "380"/	US-PGPUB; USPAT; USOCR	AND	OFF	2004/11/15 15:23
S34	126937	decoy adj message "713"/ OR "380"/ AND @pd<"20010719"	US-PGPUB; USPAT; USOCR	AND	OFF	2004/11/15 15:23
S35	0	(decoy adj message SAME key) with select\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 15:37
S36	1	(decoy adj message WITH key) SAME select\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 15:37
S37	1	(decoy adj message SAME key) SAME select\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 15:40
S38	0	combined adj message\$2 SAME file adj manipulation	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 15:41
S39	0	combined adj message\$2 AND file adj manipulation	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 15:42
S40	11	one adj time adj pad SAME encrypt\$3 SAME (key NEAR3 select\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 15:47
S41	179	one adj time adj pad\$4 SAME encrypt\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/15 15:48

S42	0	information WITH hiding SAME alternate WITH message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 09:51
S43	1508	information WITH hiding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 09:51
S44	27745418	S43 @pd<"20000814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 09:52
S45	409	S43 @pd<"20000814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/16 09:56
S46	59	S43 @pd<"20000814" (alternat\$3 with (message OR image OR data OR key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/16 10:20
S47	11	((duress OR coercion) WITH key) @pd<"20000814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/16 10:29
S48	8	((duress OR coercion) SAME key) message @pd<"20000814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/16 13:16
S49	0	("6259790" "6243757" "6052466" "5751813" "5613004" "5436972" "5428778" "5295188" "5193115" "5113444").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/16 13:17

S50	0	("6259790" "6243757" "6052466" "5751813" "5613004" "5436972" "5428778" "5295188" "5193115" "5113444").pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/16 13:17
S51	20	US-6259790-\$.DID. OR US-6243757-\$.DID. OR US-6052466-\$.DID. OR US-5751813-\$.DID. OR US-5613004-\$.DID. OR US-5436972-\$.DID. OR US-5428778-\$.DID. OR US-5295188-\$.DID. OR US-5193115-\$.DID. OR US-5113444-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/16 13:21
S52	0	("US-6259790-\$.DID. ORUS-6243757-\$.DID. ORUS-6052466-\$.DID. ORUS-5751813-\$.DID. ORUS-5613004-\$.DID. ORUS-5436972-\$.DID. ORUS-5428778-\$.DID. ORUS-5295188-\$.DID. ORUS-5193115-\$.DID. ORUS-5113444-\$.DID.").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/16 13:21
S53	20	(alternat\$3 SAME message SAME attack\$2) AND @pd<"20000814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:11
S54	10	(decoy SAME (message data image) SAME attack\$2) AND @pd<"20000814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:53
S55	27744319	@pd<"20000814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:54
S56	0	S55 AND "topological cipher"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 17:56

S57	1	deniable adj encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 14:09
S58	27744319	@pd<"20000814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/17 14:10
S59	0	S58 shannon adj security	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/17 14:19
S60	0	S58 voting WITH machine WITH (receipt near2 free)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/17 14:31
S61	531	S58 voting WITH machine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/17 14:36
S62	12	S61 encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/17 14:42
S63	27744319	@pd<"20000814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:51
S64	251	S63 encrypt\$3 (key WITH message WITH select\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 13:11

S65	27744319	@pd<"20000814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 13:13
S66	0	S65 (alert SAME key SAME decrypt\$3 SAME message\$1 SAME unauthoriz\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 13:19
S67	9	S65 (alert SAME key SAME decrypt\$3 SAME message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/18 13:35
S68	1	("5319705").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/19 09:29
S69	0	("99443963").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/19 11:17
S70	0	("19991119").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/19 11:17
S71	0	("19991119").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:17
S72	0	("99443963").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 11:17
S73	27744319	@pd<"20000814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 13:57
S74	0	S73 AND ((silent or secret) NEAR (alarm or alert)) SAME key SAME (encrypt\$3 OR decrypt\$3) SAME message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:06

S75	1	S73 AND ((silent or secret) NEAR (alarm or alert)) SAME key SAME (encrypt\$3 OR decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:26
S76	0	"Methodology for Multimedia Safe Deposit Box Work Area"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:25
S77	38	S73 AND ((silent or secret) NEAR (alarm or alert)) SAME key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:31
S78	3	S77 AND (dummy or decoy or fake or unauthorized) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:34
S79	0	S77 AND ((dummy or decoy or fake) with (key or code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:35
S80	1	S77 AND (dummy or decoy or fake)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 14:35
S81	194	easter adj egg	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 17:59
S82	141	S81 AND @pd<"20000814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 18:00

S83	8	S82 AND (key or code or password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 18:03
S84	0	easteregg	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 18:03
S85	1	multiple near8 hidden near8 message?	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 18:05
S86	886	steganograph\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 18:06
S87	78	S86 and @pd<"20000814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 18:07
S88	3	S87 AND (combined or multiple) NEAR4 message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 18:09
S89	2	"5319705".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/23 12:25
S90	3	(password near2 trigger\$2) near7 alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/26 14:20

S91	178	((password OR pin OR key) near5 trigger\$2) near7 alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/26 14:21
S92	125	S91 @pd<"20000814"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/26 14:23
S93	14	S92 (silent or quiet or secret)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/26 14:24